

LIVE OUTSIDE.®



**newline**®  
**HARDSCAPES**  
A DIVISION OF YORK BUILDING PRODUCTS

2025 Product Catalog

# LIVE OUTSIDE.®

We are more than craftsmen of pavers and walls. We make an enjoyable outdoor living experience possible for you and your family.

Our mantra at NewLine is "Live Outside." Our goal is to help you create an outdoor experience so perfect you won't want to go back inside.

We invite you to journey through these pages and preview the possibilities of what living outside with NewLine Hardscapes can be.

Our friendly dealer showrooms are ready to meet with you to explore your dreams. You can find the dealer closest to you by visiting us at [newlinehardscapes.com](http://newlinehardscapes.com).



**Welcome home...  
to living outside.**



# Inside...

## paver collection

Veranda™ and Veranda XL™	6-7
Chateau™ and Chateau XL™	8-9
Village Cobble™	10-11
Provence Cobble™	12-13
River Cobble™	14-15
Holland Stone™	16
Coping™	17
Breton™ (permeable)	18
Turfstone™ (permeable)	19




## porcelain tile collection

Bluestone	22-23
18" x 36" Tile	24-25
24" x 24" Tile	26-27
12" x 48" Plank	28-29

## rosetta® collection

Outcropping™	32-33
Grand Ledge™	34-35
Heartwood™	36-37
Kodah™	38-39
Belvedere™ Wall	40-41
Dimensional™ Wall	42-43
Coping & Caps	44-45
Dimensional Flagstone™	46-47
Grand Flagstone™	48-49
Dimensional Step™	50
Irregular Step™	51
Superior Steppers™	52
Rosetta Fire Pits	53



## wall collection

Ashland™	56
Yorkshire™	57
Stonegate®	58-59
Stonegate® Contemporary	60-61
Napa®	62-63
Sonoma™	64-65
StoneLedge™	66-67
Regal Stone®	68
Regal Stone® RockFace	69
Compac®	70
Compac® Contemporary	71
Cornerstone® 100	72-73
MagnumStone®	74

## trim & finishing collection

Caps, Steps, Treads	76-77
Napa Curbstone	78
EdgeStone	79
Fire Pits	80-82
Installation Accessories	83



## landscape lighting

Lighting, Equipment, Transformers, etc.	84-85
---	-------

## laying patterns, specifications, warranty & care

Paver Laying Patterns	87
Product Specifications Matrix	88-93
Warranty and Care Information	94-95



## FOLLOW US







chateau xl in coastal tan/mesquite mix

# pavers

Veranda™ and Veranda XL™	6-7
Chateau™ and Chateau XL™	8-9
Village Cobble™	10-11
Provence Cobble™	12-13
River Cobble™	14-15
Holland Stone™	16
Coping™	17
Breton™ (permeable)	18
Turfstone™ (permeable)	19



The “No Plate Compactor” icon appears next to products that should not be machine-tamped during installation.



# Veranda™ and Veranda XL™



Designed as an oversized, three-piece slab system, Veranda smooth-faced pavers deliver a sleek, modern style and sophistication. Install as a stand-alone three-piece system or combine with the Veranda XL series to create a six-piece paving system.

## Veranda (Bundled)



4x8x2 $\frac{3}{8}$

8x8x2 $\frac{3}{8}$

8x12x2 $\frac{3}{8}$

## Veranda XL (Bundled)

Veranda XL is not recommended for vehicular applications.  
**(XL available in Fieldstone & Granite only.)**



8x16x2 $\frac{3}{8}$

16x16x2 $\frac{3}{8}$

16x24x2 $\frac{3}{8}$

## Colors



coastal tan



fieldstone



granite



mesquite

Color swatches are for reference. Please refer to actual samples for proper color matching.



# Chateau™ and Chateau XL™



A more casual, oversized, three-piece slab system, Chateau uses rectilinear shapes, slate-textured surfaces, and rounded edges to recall the timeless appeal of weathered cut flagstone. Install as a stand-alone three-piece system or combine with the Chateau XL series to create a six-piece paving system.

## Chateau (Bundled)



4x8x2<sup>3</sup>/<sub>8</sub>

8x8x2<sup>3</sup>/<sub>8</sub>

8x12x2<sup>3</sup>/<sub>8</sub>

## Chateau XL (Bundled)

Chateau XL is not recommended for vehicular applications.



8x16x2<sup>3</sup>/<sub>8</sub>

16x16x2<sup>3</sup>/<sub>8</sub>

16x24x2<sup>3</sup>/<sub>8</sub>

## Colors



coastal tan



fieldstone



granite



mesquite

Color swatches are for reference. Please refer to actual samples for proper color matching.



# Village Cobble™

Our classic, most popular paver features a textured finish with rounded edges. Each size is sold separately, allowing you to mix and match sizes to meet your specific design needs.



6x6x2 $\frac{3}{8}$




6x9x2 $\frac{3}{8}$

Each size sold separately.

## Colors




coastal tan



fieldstone



granite



mesquite

Accent Color  
(6x9 Units Only)



charcoal

Color swatches are for reference. Please refer to actual samples for proper color matching.



# Provence Cobble™

Reminiscent of lingering outside on warm summers in southern France, Provence Cobble features a flat, antiqued finish with an old-world feel. The system is a three-piece mixed bundle, allowing you to customize your look.

3-Piece System (Bundled)



3x6x2 $\frac{3}{8}$



6x6x2 $\frac{3}{8}$



6x9x2 $\frac{3}{8}$

## Colors




fieldstone



granite

Color swatches are for reference. Please refer to actual samples for proper color matching.



Create a flowing, natural look.  
Perfect for walkways and patios.

# River Cobble™

Featuring rounded shapes and surfaces, River Cobble delivers the soothing appeal of river-worn stones. River Cobble comes in wide variety of shapes, creating organic, flowing patterns. The unique design of this paver makes it ideal for tight or oddly-shaped spaces.



6x4x2<sup>3</sup>/<sub>8</sub>

## Colors



fieldstone



granite



holland stone in granite


## Holland Stone™

The design flexibility, simple rectangular shape, and ease of installation make Holland Stone a favorite for homeowners. It is often used as an accent or border course with other NewLine pavers.



4x8x2<sup>3</sup>/<sub>8</sub>

### Colors



fieldstone



granite



# Coping™

Our Coping unit provides a smooth, soft roll to the edge of your patio or steps. Coping can be used for applications such as swimming pools, deck overhangs, step treads, seating areas, and wall caps.



6x12x2<sup>3</sup>/<sub>8</sub>

## Colors



coastal tan



fieldstone



granite



mesquite



charcoal

Accent Color

Color swatches are for reference. Please refer to actual samples for proper color matching.


[newlinehardscapes.com](http://newlinehardscapes.com)



## Breton™

Breton **permeable pavers** are a three-piece mixed bundle (all on one pallet), crafted with a natural, stone-cleft finish. Enlarged lugs on the units' sidewalls create quarter-inch joints that drain water to the permeable base when filled with a properly-sized aggregate. This infiltration filters stormwater and recharges groundwater sources, creating a sustainable pavement option.

### Colors



newlinehardscapes.com



fieldstone

granite



## Turfstone™

A rectangular, **permeable slab** (with open grids) allows water to pass through the system. Turfstone can be used for overflow parking, erosion control, and parking lots requiring permeable paving. The open voids can be filled with drainage aggregate for maximum infiltration, or with soil to allow greenery to grow.

### Color



16x24x3/8



pewter

Color swatches are for reference. Please refer to actual samples for proper color matching.

[newlinehardscapes.com](http://newlinehardscapes.com)



12x48 plank in soul walnut



# porcelain tile

Bluestone	22-23
18 x 36 Tile	24-25
24 x 24 Tile	26-27
12 x 48 Plank	28-29



bluestone in full color

# Bluestone

These multi-sized tiles are perfect for hassle-free living on your patio. Because porcelain is so dense, it naturally repels stains such as acorns, wine, and grill grease. Just a simple powerwash and it's gone! Our three-piece system comes in a native Pennsylvania bluestone.



12x12x $\frac{3}{4}$



12x24x $\frac{3}{4}$



24x24x $\frac{3}{4}$

Each size sold separately.

## Color



bluestone full color

Color swatches are for reference. Please refer to actual samples for proper color matching.



18" x 36" tile in source beige

# 18" x 36" Tile

These oversized tiles provide a sophisticated, contemporary look to your patio space. Stocked in our source beige color, the warm tan and grey tones match most any decor and lend a dramatic touch to any project.



18x36x $\frac{3}{4}$

## Color



source beige



24" x 24" tile in vintage slab

# 24" x 24" Tile

The timeless look of 24" x 24" tiles is unbeatable. These large units provide a commanding presence and a clean aesthetic for those spaces that need extra impact.



24x24x3/4

## Colors



simply grey



limestone



vintage slab



travertine cream



# 12" x 48" Plank

Want the look of hardwood planks for your decking but not the hassle of wood maintenance? Look no further than our long 12" x 48" porcelain plank system. Easy to install and breathtakingly beautiful, it elevates any space for a premium appearance.



## Colors



soul grey



soul walnut






# rosetta<sup>®</sup>

Outcropping™	32-33
Grand Ledge™	34-35
Heartwood™	36-37
Kodah™	38-39
Belvedere™ Wall	40-41
Dimensional™ Wall	42-43
Coping & Caps	44-45
Dimensional Flagstone™	46-47
Grand Flagstone™	48-49
Dimensional Step™	50
Irregular Step™	51
Superior Steppers™	52
Rosetta Fire Pits	53



# Outcropping™

The large dimensions of the Outcropping units allow you to create grand structural walls on a believable and inspiring scale. Designed with 12 unique unit sizes and 24 unique stone textures to create the most natural appearance possible.



## Colors



Color swatches are for reference. Please refer to actual samples for proper color matching.



grand ledge in ash

# Grand Ledge™

Grand Ledge blocks provide the texture of snapped limestone with a crisp, contemporary line at a grand scale—with the benefit of engineered efficiencies to make installation easier. The blocks are 12" tall and come in four different lengths. The unit depths create a consistent 2¼-inch setback, and the 7½ degree taper from the face allows for subtle curves. Grand Ledge 4-sided blocks can be used for corners, top blocks, or freestanding applications, providing the perfect finishing touches for every project.

## Standard Wall Units



12x20x36  
1 unit/pallet  
660 lbs/unit (approx)



12x20x48  
1 unit/pallet  
890 lbs/unit (approx)



12x20x60  
1 unit/pallet  
1080 lbs/unit (approx)



12x20x72  
1 unit/pallet  
1350 lbs/unit (approx)

## Four-Sided Wall Units



12x24¼x35¼  
1 unit/pallet  
770 lbs/unit (approx)



12x19¾x42¾  
1 unit/pallet  
760 lbs/unit (approx)



12x21x46  
1 unit/pallet  
880 lbs/unit (approx)



12x25½x50½  
1 unit/pallet  
1160 lbs/unit (approx)

## Pallet Information



One unit of each size is shipped on one pallet.  
Standard Pallet: 18 sq ft | 4056 lbs  
Freestanding Pallet: 20½ sq ft | 3258 lbs

## FEATURES

- 24 unique wall textures.
- Four additional 4-sided blocks can be used for corners, top blocks, & freestanding walls.
- Capable of 5-6 foot gravity walls with optimal site conditions.
- Minimum radius is 20'. However, we recommend limiting the radii of curves to no less than 30' for better constructability and aesthetics.

## Colors



ash



canyon



saddle (special order)

Color swatches are for reference. Please refer to actual samples for proper color matching.

[newlinehardscapes.com](http://newlinehardscapes.com)



489

heartwood in walnut

# Heartwood™

When you're looking to integrate natural wood into your project, consider Rosetta Heartwood wall units. Root yourself in nature with a product that is more durable than pressure-treated lumber and hits the mark of authenticity. A more efficient and durable alternative to wood so you can build a freestanding wall, planter box, or garden wall that will last without compromising the natural woodgrain look.

## Unit



6x8x42  
1.75 sf  
173 lbs/unit (approx)

## Pallet Information



26¼ sf/pallet  
2655 lbs/pallet  
15 units/pallet



*Consider a matching fire pit  
for your Heartwood wall project.  
For more info, see page 53.*

- More durable than pressure-treated lumber.
- Provides a low-maintenance alternative to lumber products.
- Easily stackable.
- Available in three colors.

## Colors



Gray Birch



Walnut



Driftwood (Special Order)

Color swatches are for reference. Please refer to actual samples for proper color matching.

[newlinehardscapes.com](http://newlinehardscapes.com)



Kodah in canyon

# Kodah™

The four different sizes of the Kodah wall provide an authentic chiseled limestone wall for your project. The natural cleft texture gives the wall a rugged good look. Kodah can also be used for retaining walls, freestanding walls, and seating walls.



6x10½x12

6x10½x21

6x10½x30

6x10½x42

6x10½x21 Corner

All units are packaged on one pallet.

## Colors



ash



canyon



saddle

Color swatches are for reference. Please refer to actual samples for proper color matching.



# Belvedere™

Our most popular Rosetta wall system, Belvedere gives your project the look of real natural stone because it is formed using molds from natural stone. An easy-to-install, six-piece system provides a more rustic appearance to your space.



## Colors



ash



canyon



saddle

Color swatches are for reference. Please refer to actual samples for proper color matching.



dimensional wall in ash

# Dimensional™

Perfect for the do-it-yourselfer, Dimensional wall is a simple system that is lightweight and installs quickly. Great for smaller walls, tree rings, and seating areas, the natural stone texture gives this system the look of real chiseled stone on a smaller scale.



4x8x12  
Straight Unit



4x8x12 (F) 4x8x7½ (B)  
Wedge Unit



*Consider a matching fire pit for your Dimensional project. For more info, see page 53.*

## Colors



ash



canyon



saddle

Color swatches are for reference. Please refer to actual samples for proper color matching.



# Coping and Caps


Capping a wall or column does more than make a project look finished. It ties all of the system elements together, making a project appear more professional. Our two coping/cap lines – Belvedere and Dimensional – offer several options to complete your project.

## Belvedere™ Coping



5 different units; all on one pallet.

## Belvedere™ Caps



Caps sold separately.

## Dimensional™ Coping



3 different units; all on one pallet.

## Dimensional™ Caps



Caps sold separately.

## Colors



Color swatches are for reference. Please refer to actual samples for proper color matching.

[newlinehardscapes.com](http://newlinehardscapes.com)



dimensional flagstone in canyon

# Dimensional Flagstone™

Dimensional Flagstone is the perfect choice for graceful walkways, pool decks, and elegant patios requiring consistent dimensions and a more formal, sophisticated look. All shapes are available on every pallet layer, making installation quick and easy.



## TRIP-RESISTANT

There's no jagged edges or uneven seams with the consistent 2-inch (51-millimeter) thickness of Dimensional Flagstone. That means less tripping hazards for toddlers to retirees than with natural stone.

All 6 shapes on one pallet.

## Colors



Color swatches are for reference. Please refer to actual samples for proper color matching.



grand flagstone in saddle

# Grand Flagstone™

Add a natural, relaxed look to your space with Grand Flagstone. Ideal for patios, pathways, pool decks, outdoor kitchens, and more, these slabs capture the appealing texture and scale of large natural flagstones while offering a convenient, easy-to-install pattern.



Layer 1



Layer 2



Layer 3



Layer 4

Each layer is comprised of multiple random 1¾" thick shapes. Four different 4-piece patterns. All layers on one pallet.

## Colors



ash



canyon



saddle

Color swatches are for reference. Please refer to actual samples for proper color matching.



dimensional step in ash

## Dimensional Step™

The Dimensional Step is perfect for more structured, linear spaces, offering the rugged charm of natural stone along with the comfort and safety of a consistent rise.



7x18x48

### Colors



ash



canyon



saddle



irregular step in saddle

## Irregular Step™

The Irregular Step is great for free-flowing, natural staircases, providing the rugged attractiveness of natural stone and combining it with the safety and comfort of a uniform rise.

### Colors



ash



canyon



saddle



7x26x42



7x28x48



7x24x60

Color swatches are for reference. Please refer to actual samples for proper color matching.

[newlinehardscapes.com](http://newlinehardscapes.com)



superior steppers in canyon

## Superior Steppers™

Lay a charming garden walkway or casual path to gently guide your way. These natural-looking stones are crafted with high-strength, quality materials for a pathway that will look like it's been in place for ages.



- Unit dimensions vary by shape; roughly 21x27x2
- 2x each or 8 different shapes

### Colors



ash



canyon



saddle



dimensional fire pit in saddle

## Rosetta® Fire Pits

### Colors

Heartwood™ Square Pit



18x50x50



Optional square steel insert

Dimensional™ Square Pit



12x44x44



Optional square steel insert

Belvedere™ Round Pit



14½x58



Optional round steel insert

HEARTWOOD



gray birch



walnut



driftwood  
(special order)

BELV/DIMENSIONAL



ash



canyon



saddle

Color swatches are for reference. Please refer to actual samples for proper color matching.

[newlinehardscapes.com](http://newlinehardscapes.com)





# walls

## 4-Inch High:

Ashland™	56
Yorkshire™	57

## 6-Inch High:

Stonegate®	58-59
Stonegate® Contemporary	60-61
Napa®	62-63
Sonoma™	64-65
StoneLedge™	66-67
Regal Stone®	68
Regal Stone® RockFace	69

## 8-Inch+ High:

Compac®	70
Compac® Contemporary	71
Cornerstone® 100	72-73
MagnumStone®	74



ashland in fieldstone

## Ashland™

Ashland is a lightweight, double-sided, tapered, and tumbled unit, making it ideal for applications such as tree rings, planter beds, and fire pits. This wall can be paired nicely with the Yorkshire wall to create an ideal outdoor living space.



4x8x9



*Consider a matching fire pit for your Ashland wall project. For more info, see page 81.*

### Colors



coastal tan



fieldstone



granite



mesquite



yorkshire in coastal tan

## Yorkshire™

Yorkshire is a tumbled, single-piece wall system for garden and seating wall applications. Because of the unit's symmetry, it can be turned in different directions to create a unique look. It's also great for building fire pits, outdoor kitchens, fireplaces, and more.

### Colors



coastal tan



fieldstone



granite



mesquite

*Consider a matching fire pit for your Yorkshire wall project. For more info, see page 81.*



4x12x8

Color swatches are for reference. Please refer to actual samples for proper color matching.

[newlinehardscapes.com](http://newlinehardscapes.com)



# Stonegate®

Featuring the look of weathered cut-stone you might find in a quaint European town, Stonegate has a smoother finish than split-face wall units. With a pinned connection method, two different heights, and six different shapes, Stonegate is suitable for retaining and freestanding wall projects.

Use the vertical batter option (middle pin hole position on block top) for small freestanding applications and short, geogrid-reinforced walls. On critical, engineered retaining walls with slopes or surcharges above, use the rear pin hole position on block top to provide the necessary batter for added strength and durability. Stonegate freestanding applications should *not* exceed 24" above grade.



Stonegate walls use DOM pins to ensure proper wall alignment. Pins sold separately.

## Colors



coastal tan



fieldstone



granite



mesquite

Color swatches are for reference. Please refer to actual samples for proper color matching.

[newlinehardscapes.com](http://newlinehardscapes.com)



# Stonegate® Contemporary

The smooth, uniform face and finished edges of Stonegate Contemporary create a modern, sleek look. Stonegate Contemporary is excellent for parapet walls, pilasters, columns, stairs, and outdoor living elements such as kitchens, fireplaces, fire pits, benches, and more. Like traditional Stonegate, Stonegate Contemporary features six different units, simplifying the creation of random patterns and assuring stunning results.

Use the vertical batter option (middle pin hole position on block top) for small freestanding applications and short, geogrid-reinforced walls. On critical, engineered retaining walls with slopes or surcharges above, use the rear pin hole position on block top to provide the necessary batter for added strength and durability. Stonegate freestanding applications should *not* exceed 24" above grade.



3x10x6



3x10x11



3x10x17



3x12x12 square cap



6x10x6



6x10x11



6x10x17



Stonegate walls use DOM pins to ensure proper wall alignment. Pins sold separately.

## Colors



coastal tan



fieldstone




granite



mesquite

Color swatches are for reference. Please refer to actual samples for proper color matching.

[newlinehardscapes.com](http://newlinehardscapes.com)



# Napa<sup>®</sup>

The Napa double-sided wall is a beautiful way to frame your patio with seating walls, border a walkway, or build a retaining wall. With a soft, weather-worn look, this six-piece system—available in two different heights—provides endless design options.



## Colors



coastal tan



fieldstone



granite



mesquite

Color swatches are for reference. Please refer to actual samples for proper color matching.



# Sonoma™

Sonoma walls are based on the same unit system as our popular Napa wall; however, Sonoma is not tumbled, giving it a crisp, contemporary profile. A great choice for homeowners who desire a less weathered and more structured appearance.



## Colors



coastal tan



fieldstone



granite



mesquite

Color swatches are for reference. Please refer to actual samples for proper color matching.



# StoneLedge™

StoneLedge features a double-sided, multi-sized, tapered wall system with the hand-finished look of quarried stone. Ideal for residential or commercial wall projects. The flexibility, quarried face, and endless random patterns make StoneLedge an excellent choice.

Use the vertical batter option for small freestanding applications and short, geogrid-reinforced walls. On critical, engineered retaining walls with slopes or surcharges above, use the StoneLedge connector's 1" setback position to provide the necessary batter for added strength and durability.

StoneLedge freestanding applications should *not* exceed 24" above grade.



*Consider a matching fire pit for your StoneLedge wall. For more info, see page 81.*

## Colors



coastal tan



fieldstone



granite



mesquite

Color swatches are for reference. Please refer to actual samples for proper color matching.

[newlinehardscapes.com](http://newlinehardscapes.com)



regal stone in granite

## Regal Stone®

A great choice when your project calls for classic, clean lines. The straight-face style provides an attractive retaining wall for residential or commercial applications.

### Colors



6x12x17 1/4



6x12x16  
step



3x13x15  
universal cap



coastal tan



fieldstone



granite



mesquite



regal stone rockface in granite

## Regal Stone® RockFace

With its more weather-worn appearance, Regal Stone RockFace offers a natural look. Based on the original Regal Stone unit, it provides the same benefits, simplicity, and flexibility.

### Colors



coastal tan



fieldstone



granite



mesquite



6x12x16



6x12x16  
step



3x13x15  
universal cap

Color swatches are for reference. Please refer to actual samples for proper color matching.

[newlinehardscapes.com](http://newlinehardscapes.com)



# Compac®

Great for taller walls, Compac is a straight-face, square-foot unit, featuring a pinned connection system for alignment.



Compac walls use straight pins to ensure proper wall alignment. Pins sold separately.

## Colors



8x12x18



8x9x18 corner



4x12x18  
rectangle cap



coastal tan



fieldstone



granite



mesquite  
(special order)



compac contemporary in coastal tan

## Compac<sup>®</sup> Contemporary

Featuring the same benefits as our standard Compac wall system, this contemporary unit utilizes a smooth face finish to deliver a fresh, new, linear appearance.



Compac walls use straight pins to ensure proper wall alignment. Pins sold separately.

### Colors



coastal tan



fieldstone



granite



8x12x18



8x9x18 corner



3x12x12 square cap

Color swatches are for reference. Please refer to actual samples for proper color matching.

[newlinehardscapes.com](http://newlinehardscapes.com)



# CornerStone<sup>®</sup> 100

CornerStone 100 offers the perfect combination of strength and beauty and is ideal for everything from residential landscaping to large commercial projects. Each unit features a single, large, hollow-core SecureLug<sup>®</sup> connection and tapered sides, allowing for durability, flexibility and easy installation.



8x12x18



8x9x18 corner



3x13x15 rectangle cap

## Colors



coastal tan



fieldstone



granite



mesquite



## MagnumStone®

MagnumStone is a large block (24x48) retaining wall system that is especially effective when used where space is limited behind the wall (unable to excavate for geogrid due to site constraints).

Stocked in our natural color, the units can be field-tinted to provide a more realistic stone coloring. Please visit the York Building Products website for more details on unit shapes, sizing, and technical specifications. [www.yorkbuilding.com](http://www.yorkbuilding.com)

### Colors



base unit



half-high unit



corner unit



ash



canyon



saddle



natural  
(stocked)

# trim & finishing


Rock Face Caps, Steps, Treads	76-77
Napa® Curbstone	78
EdgeStone™	79
Fire Pits	80-82
Installation Accessories	83
Landscape Lighting	84-85



rock face caps & steps in charcoal


## Rock Face Caps, Steps and Treads

It's the little things that matter. Finishing a great patio with caps, steps, and stair treads makes a project look more professional and adds to the overall richness of a project.




Rock Face Wall Cap  
2¼x12x48

## Wall Caps




Rock Face End Cap  
2¼x12x51




Rock Face Landscape Step (2 Sizes)  
6x16x48  
6x16x72

## Steps




Rock Face Step Tread  
2¼x12x51



Flat Column Cap (2 Sizes)  
2x28x28  
2x30x30

## Column Caps



Light-Top Column Cap (2 Sizes)  
4x28x28  
4x30x30

## Colors



charcoal



mocha

Color swatches are for reference. Please refer to actual samples for proper color matching.



napa curbstone in fieldstone

## Napa® Curbstone

Napa Curbstone provides a unique border option for walkways, flowerbeds, and driveways, and coordinates nicely with a Napa wall system.



8x3x8

[newlinehardscapes.com](http://newlinehardscapes.com)

### Colors



coastal tan



fieldstone



granite



mesquite

Color swatches are for reference. Please refer to actual samples for proper color matching.



edgestone in granite

## EdgeStone™

Achieve the look of Belgian block with this more durable alternative to wood edging or plastic edge restraints. Features a chiseled-look top.




6x4x12

### Colors



coastal tan



fieldstone



granite



mesquite

Color swatches are for reference. Please refer to actual samples for proper color matching.

[newlinehardscapes.com](http://newlinehardscapes.com)



## Colors



coastal tan



fieldstone



granite



mesquite

## Coping Colors



charcoal



mocha

# Fire Pits

What better way to enjoy your outdoor living area than to gather around a beautiful fire pit with friends and family? Cool summer evenings can be savored longer with this inviting, warm retreat.

## Ashland™ Pit



20½H x 48½ Dia



Optional steel insert  
(works with or without  
coping)



Optional 4-piece radius  
coping  
50 outside dia.  
29½ inside dia.

## Stoneledge™ Pit



17½H x 50 Dia



Optional steel insert  
(works with or without  
coping)



4-piece radius coping  
54½ outside dia.  
29½ inside dia.

## Yorkshire™ Rectangle Pit



16½H x 56x44x16



Optional rectangle steel  
insert  
35½x23½x9

## Yorkshire™ Square Pit



20½H x 44x44x16



Optional square steel  
insert  
27¾x27¾x9¾

### IMPORTANT NOTE:

Burning large items or trash in fire pits may cause damage to block units. Our fire features are designed strictly for small campfires.

NewLine Hardscapes is not responsible for any damage to the fire pit or radius coping if it is not installed with a steel insert.

**See our new smoke-reducing Burley® Pit inserts on the following page.**



# Burly®

## Specialty Fire Pit Inserts Crafted to Reduce Smoke

No one wants to get stuck with the smoky seat around a fire pit. Thus, the birth of the Burly®: a heavy-duty, long-lasting fire feature that is easy to start and is hand-crafted to reduce smoke.

The worst thing about any campfire is having to move whenever the wind shifts. Burly's specially-designed flange and airflow system eliminates smoke almost entirely.

Now, whether you are sitting on your backyard patio or camping in the wilds, there's no bad seat at the fire.

	Product	Dimensions	Newline Pit
	<b>COMFORT II 24\" Round</b>	37\" Outside Dia 24\" Inside Dia. 12\" High	StoneLedge pit Ashland pit
	<b>COMFORT II 32\" Round</b>	46\" Outside Dia 32\" Inside Dia. 12\" High	Belvedere pit
	<b>COMFORT II 24\" Square</b>	37\" Outside 24\" Inside 12\" High	Yorkshire pit Dimensional pit Heartwood pit
	<b>SNUFFER LID</b>	Each Burley insert comes with a matching snuffer lid to provide a perfect-fitting way to put out your fires.	

### BENEFIT HIGHLIGHTS:

- Easy clean out
- Insert protects manufactured or natural stone from direct-heat damage
- Hand-crafted in the USA using long-lasting, heavy-gauge steel
- No assembly required
- Snuffer lid (included) puts out fires and protects interior from the elements

# Installation Accessories



Polymeric Sand  
Polymeric Stone Dust  
Nails  
Edging  
Polyurethane Adhesive XP  
Concrete Adhesive HP  
Base  
Sealers & Cleaners  
Landscape Fabric  
Geo-Grid



## Gator Nitro-X Sand



NITRO JOINT SAND is the ideal air cure, permeable jointing material. It is a ready-to-use mixture of calibrated sand and proprietary resin formula which cures when exposed to air, hardening from top to bottom of the joint. The product can be installed in wet or dry weather.

## Gator X-Turf



GATOR X-TURF is a high-end artificial turf blended with soft, fine yarn. The C-shaped blades are durable and prevent the turf from matting under heavy use. With great water permeability, X-Turf residential and commercial grass can quickly alleviate the problem of rainwater accumulation. X-Turf synthetic turfs are free from heavy metals and harmful substances; and with a fire-resistance level, meet the requirements of both indoor and outdoor applications.

# Landscape Lighting

## Accent Lights

### LMAFSB: RIBBED UPLIGHT SPOT - Brass



Shroud: Mach. brass w/tempered glass  
Spike: PVC slotted stake  
Lens: Convex  
Finish: Antique Brass  
Socket: Bi-Pin GU5.3  
Electrical: 12 volt  
Wiring: 3' 18/2, SPT-2W UL wire  
Std Lamp: 5W LED MR16

### LMAFBA: UPLIGHT SPOT - Aluminum



Shroud: Machined aluminum  
Spike: PVC slotted stake  
Lens: Convex  
Finish: Brown  
Socket: Bi-Pin GU5.3  
Electrical: 12 volt  
Wiring: 3' 18/2, SPT-2W UL wire  
Std Lamp: 5W LED MR16

### LMAFBKA: UPLIGHT SPOT - Aluminum



Shroud: Machined aluminum  
Spike: PVC slotted stake  
Lens: Convex  
Finish: Black  
Socket: Bi-Pin GU5.3  
Electrical: 12 volt  
Wiring: 3' 18/2, SPT-2W UL wire  
Std Lamp: 5W LED MR16

### LMAASB: ADJUSTABLE SPOT - Brass



Shroud: Mach. brass w/tempered glass  
Spike: PVC slotted stake  
Lens: Convex  
Finish: Antique Brass  
Socket: Bi-Pin GU5.3  
Electrical: 12 volt  
Wiring: 3' 18/2, SPT-2W UL wire  
Std Lamp: 5W LED MR16



### WASH LIGHT - Brass

Shroud: Mach. brass w/tempered glass  
Spike: PVC slotted stake  
Socket: Bi-Pin GU5.3  
Electrical: 12 volt  
Wiring: 3' 18/2, SPT-2W UL wire  
Std Lamp: Lg: 5W LED MR16 | Sm: G4 MAX 5W  
Large: **LMLWWLSAB**  
Small: **LMLWWMSAB**

### LMLWWFBA: WASH LIGHT - Aluminum



Shroud: Mach. brass w/tempered glass  
Spike: PVC slotted stake  
Lens: Frosted glass  
Finish: Antique Brass  
Socket: Bi-Pin GU5.3  
Electrical: 12 volt  
Wiring: 3' 18/2, SPT-2W UL wire  
Std Lamp: 9131: G4 MAX 5W

## Specialty Lights

### HARDSCAPE LIGHT - Brass



Housing: Brass  
Finish: Antique Brass  
Power: 4 watts  
CCT: 2700K  
Lens: Clear  
Mounting: Stainless steel bracket  
Wiring: 3' 18/2, SPT-2W UL wire

**LMHLSB:**  
Brass



### HARDSCAPE LIGHT - Aluminum



Housing: Aluminum  
Finish: Black, brown, gray  
Power: 4 watts  
CCT: 2700K  
Lens: Clear  
Mounting: Stainless steel bracket  
Wiring: 3' 18/2, SPT-2W UL wire

**LMHLBA:**  
Brown



**LMHLBLK:**  
Black



**LMHLGA:**  
Gray



### LM5WL30D: 5W LAMP - 30-Degree



Beam angle: 30-degrees  
Power: 5 watts  
Electrical: 12 volt  
Lumens: 315  
CCT: 2700K

### LM3WL: 4W LAMP - G4



Beam angle: 360-degrees  
Power: 4 watts  
Electrical: 12 volt  
Lumens: 260-290  
CCT: 2700K

## Pathway Fixtures

### LMPLCSB: SOLID BRASS PATH LIGHT



Housing: Heavy-duty solid brass  
Spike: PVC slotted stake  
Finish: Antique Brass  
Electrical: 12 volt  
Wiring: 3' 18/2, SPT-2W UL  
Std Lamp: G4 MAX 5W



### SMOOTH PATH LIGHT

Housing: Heavy-duty aluminum  
Spike: PVC slotted stake  
Electrical: 12 volt  
Wiring: 3' 18/2, SPT-2W UL  
Std Lamp: G4 MAX 5W  
Brown: **LMPLCBKA**  
Black: **LMPLCBA**

### LMTTLSB: TIKI TORCH LIGHT



Housing: Heavy-duty solid brass  
Finish: Antique Brass  
Electrical: 12 volt  
Wiring: 3' 18/2, SPT-2W UL wire  
Std Lamp: G4 MAX 5W

### LMPLSB: BRASS RIBBED PATH LIGHT



Housing: Heavy-duty solid brass  
Spike: PVC slotted stake  
Finish: Antique Brass  
Electrical: 12 volt  
Wiring: 3' 18/2, SPT-2W UL  
Std Lamp: G4 MAX 5W

### LMPLDBA: ALUMINUM DOMED PATH LIGHT



Housing: Heavy-duty aluminum  
Spike: PVC slotted stake  
Finish: Brown  
Electrical: 12 volt  
Wiring: 3' 18/2, SPT-2W UL  
Std Lamp: G4 MAX 5W

### LMMPL: MODERN PATH LIGHT



Housing: Heavy-duty aluminum  
Spike: PVC small slotted stake  
Finish: Black  
Electrical: 12 volt  
Wiring: 3' 18/2  
Std Lamp: Integrated LED 2 watt  
CCT - 2700K

### LMINALSBL: IN-GROUND PATH - Brass



Housing: Heavy-duty brass shroud  
Lens: Clear  
Finish: Antique Brass  
Electrical: 12 volt  
Wiring: 3' 18/2, SPT-2W UL wire  
Std Lamp: 5W LED MR16

### LMIMPVL: IN-PAVER LIGHT



Housing: Stainless steel  
Power: 1 watt  
Electrical: 12 volt  
CCT: 2700K

## Equipment



**LMW250:  
LV WIRE**  
12/2 LV Wire, 250'



**LMWN: WIRE  
CONNECTORS**  
20 pcs/bag



**LMSMT: MINI  
SMART SOCKET**



**LMW500:  
LV WIRE**  
12/2 LV Wire, 500'



**LMMT:  
MECHANICAL  
TIMER**



**LMSS:  
SLOTTED  
STAKE**



**LMPC:  
PHOTO CELL**

## Transformers

### LM-TRANS75SS: LM-TRANS150SS: LM-TRANS300SS:



**75-WATT  
TRANSFORMER**



**150-WATT  
TRANSFORMER**




**300-WATT  
TRANSFORMER**

# laying patterns/ specifications


Paver Laying Patterns	87
Paver Specifications	88
Porcelain Tile Specifications	89
Rosetta Specifications	89-91
Wall Specifications	91-92
Trim & Finishing Specifications	93
Fire Pit Specifications	93

# Popular Laying Patterns–By Paver

Chateau™ | Veranda™ | Breton™




Random




Running Bond


Village Cobble™




45° Herringbone  
100% 6x9 Rectangle




90° Herringbone  
100% 6x9 Rectangle




"I" Pattern  
25% 6x6 Square  
75% 6x9 Rectangle




Mod. Running Bond  
40% 6x6 Square  
60% 6x9 Rectangle




Mod. Herringbone  
25% 6x6 Square  
75% 6x9 Rectangle



Running Bond  
100% 6x6 Square




Running Bond  
100% 6x9 Rectangle




Stack Bond  
100% 6x6 Square


Provence Cobble™



Running Bond  
60% 3x6 Rectangle  
40% 6x6 Square




Running Bond  
40% 3x6 Rectangle  
30% ea 6x6 & 6x9




Random Bond  
30% 3x6 Rectangle  
35% ea 6x6 & 6x9

Turfstone™




Stack Bond  
100% Rectangle




Running Bond  
100% Rectangle


Holland Stone™




Basketweave  
100% Rectangle




45° Herringbone  
100% Rectangle



90° Herringbone  
100% Rectangle



Running Bond  
100% Rectangle



Stack Bond  
100% Rectangle

# Paver Specifications

Product	Shape	Width (in.)	Length (in.)	Height (in.)	Thickness (mm)	SF/Pallet	Pcs/Pallet	Wgt/Pallet (lbs.)
<b>VERANDA</b> (Bundled)	4x8	4	8	2 <sup>3</sup> / <sub>8</sub>	60	103	80	2996
	8x8	8	8	2 <sup>3</sup> / <sub>8</sub>			80	
	8x12	8	12	2 <sup>3</sup> / <sub>8</sub>			80	
<b>VERANDA XL</b> (Bundled)	8x16	8	16	2 <sup>3</sup> / <sub>8</sub>	60	103	20	2944
	16x16	16	16	2 <sup>3</sup> / <sub>8</sub>			20	
	16x24	16	24	2 <sup>3</sup> / <sub>8</sub>			20	
<b>CHATEAU</b> (Bundled)	4x8	4	8	2 <sup>3</sup> / <sub>8</sub>	60	103	80	2996
	8x8	8	8	2 <sup>3</sup> / <sub>8</sub>			80	
	8x12	8	12	2 <sup>3</sup> / <sub>8</sub>			80	
<b>CHATEAU XL</b> (Bundled)	8x16	8	16	2 <sup>3</sup> / <sub>8</sub>	60	103	20	2996
	16x16	16	16	2 <sup>3</sup> / <sub>8</sub>			20	
	16x24	16	24	2 <sup>3</sup> / <sub>8</sub>			20	

Product	Shape	Width (in.)	Length (in.)	Height (in.)	Thickness (mm)	Pcs/SF	Layers/Pallet	SF/Pallet	Pcs/Pallet	Wgt/Pallet (lbs.)
<b>VILLAGE COBBLE</b>	6x6	6	6	2 <sup>3</sup> / <sub>8</sub>	60	3.62	10	100	480	2860
<b>VILLAGE COBBLE</b>	6x9	6	9	2 <sup>3</sup> / <sub>8</sub>	60	2.42	10	95	300	2720
<b>PROVENCE COBBLE</b> (Bundled)	3x6	2 <sup>15</sup> / <sub>16</sub>	5 <sup>15</sup> / <sub>16</sub>	2 <sup>3</sup> / <sub>8</sub>	60			116	160	3308
	6x6	5 <sup>15</sup> / <sub>16</sub>	5 <sup>15</sup> / <sub>16</sub>	2 <sup>3</sup> / <sub>8</sub>			N/A		160	
	6x9	5 <sup>15</sup> / <sub>16</sub>	8 <sup>7</sup> / <sub>8</sub>	2 <sup>3</sup> / <sub>8</sub>					160	
<b>RIVER COBBLE</b>	6x4	6	4	2 <sup>3</sup> / <sub>8</sub>	60	5.5	N/A	116	640	2937
<b>HOLLAND STONE</b>	4x8	4	8	2 <sup>3</sup> / <sub>8</sub>	60	4.5	10	103	480	2944
<b>COPING</b>	6x12	6	12	2 <sup>3</sup> / <sub>8</sub>	60	2	4	104	208	2431
<b>BRETON</b> (Bundled)	4x8	4	8	3 <sup>1</sup> / <sub>8</sub>	80			86	64	3130
	8x8	8	8	3 <sup>1</sup> / <sub>8</sub>	80				64	
	8x12	8	12	3 <sup>1</sup> / <sub>8</sub>	80				64	
<b>TURFSTONE</b>	16x24	15 <sup>3</sup> / <sub>4</sub>	23 <sup>7</sup> / <sub>8</sub>	3 <sup>1</sup> / <sub>8</sub>	80	0.374	8	84	32	2034

# Porcelain Tile Specifications

Product	Shape	Width (in)	Length (in)	Height (in)	Thickness (mm)	SF/Box	SF/Pallet	Pcs/Box	Boxes/Pallet	Wgt/Pallet (lbs.)
<b>BLUESTONE</b>	12x12	12	12	$\frac{3}{4}$	20	4.84	145	5	30	1429
	12x24	12	24	$\frac{3}{4}$	20	7.75	248	4	32	2401
	24x24	24	24	$\frac{3}{4}$	20	7.75	233	2	30	2260
<b>18x36 TILE</b>	18x36	18	36	$\frac{3}{4}$	20	8.72	235	2	27	2281
<b>24x24 TILE</b>	24x24	24	24	$\frac{3}{4}$	20	7.75	233	2	30	2260
<b>12x48 PLANK</b>	12x48	12	48	$\frac{3}{4}$	20	7.75	279	2	36	2694

# Rosetta Specifications

Product	Units	Height (in)	Depth (in)	Length (in)	SF/LF Pallet	Pcs/Pallet	Wgt/Pallet (lbs.)
<b>OUTCROPPING</b>	Pallet A	N/A	N/A	N/A	18	4	4011
	Pallet B	N/A	N/A	N/A	18	6	4011
	Pallet C	N/A	N/A	N/A	18	4	4011
	Corner Pallet	N/A	N/A	N/A	18	4	4011
<b>GRAND LEDGE</b>	4-pc system; all on one pallet.				18	4	4056
	3-Ft Unit	12	20	36			
	4-Ft Unit	12	20	48			
	5-Ft Unit	12	20	60			
	6-Ft Unit	12	20	72			
<b>GRAND LEDGE 4-SIDED</b>	4-pc system; all on one pallet.				20½	4	3258
	Small Unit	12	24¼	35¼			
	Medium Unit	12	19¾	42¾			
	Large Unit	12	21	46			
	XL Unit	12	25½	50½			
<b>HEARTWOOD</b>	Straight Unit	6	8	42	26¼	15	2655
<b>KODAH</b>	4-pc system; all on one pallet.				21	18	2505
	Small Unit	6	10½	12			
	Medium Unit	6	10½	21			
	Large Unit	6	10½	30			
	Extra Large Unit	6	10½	42			
	6" Corner Unit	6	10½	21	31½	24	2495

Note: All dimensions shown are nominal.

# Rosetta Specifications, con't.

Product	Shapes	Height (in)	Depth (in)	Length (in)	SF/LF Pallet	Pcs/Pallet	Wgt/Pallet (lbs.)
<b>BELVEDERE WALL</b> 6-pc system; all on one pallet	3" Small Unit	3	9	6	27	72	2536
	3" Medium Unit	3	9	12			
	3" Large Unit	3	9	18			
	6" Small Unit	6	9	6			
	6" Medium Unit	6	9	12			
	6" Large Unit	6	9	18			
<b>BELVEDERE CORNER</b> 2-pc. system; both on one pallet	3" Corner Unit	3	9	15	24	32	1579
	6" Corner Unit	6	9	15			
<b>DIMENSIONAL WALL</b>	Straight Unit	4	8	12	25	75	2160
<b>DIMENSIONAL WALL</b>	Wedge Unit	4	8	12 / 7½	33⅓	100	2060
<b>BELVEDERE COPING</b> 5 different units; all on one pallet	6"-Long Unit	2¼	10¾	6	66	72	1611
	12"-Long Unit	2¼	10¾	12			
	18"-Long Unit	2¼	10¾	18			
	18"-Long Unit (L)	2¼	10¾	18			
	18"-Long Unit (R)	2¼	10¾	18			
<b>BELVEDERE CAP</b>	Column Cap	2½	27	27	N/A	6	960
<b>BELVEDERE CAP</b>	Formal Cap	3	30	30	N/A	6	1256
<b>DIMENSIONAL COPING</b> 3 different units; all on one pallet	3 different units; all on one pallet				63	36	2013
	Short Coping	2½	12½	18		12	
	Long Coping Unit	2½	12½	24		18	
	Finished-End Coping	2½	12½	19		6	
<b>DIMENSIONAL CAP</b>	Column Cap	2½	24	24	N/A	6	774

Product	Shapes	SF/LF Pallet	Pcs/Pallet	Wgt/Pallet (lbs.)
<b>DIMENSIONAL FLAGSTONE</b>	All 6 shapes on one pallet: 8 layers/pallet, 6 shapes/layer 1 layer = 1 pattern 12¼ sf/layer	98	48	2412
<b>GRAND FLAGSTONE</b>	Random shapes, all 1¾ thick: 4 different 4-piece patterns 2 layers each pattern per pallet 8 layers/pallet, 11¼ SF per layer	90	30	2220
<b>DIMENSIONAL STEP</b>	7x18x48 - 455 lbs. ea.	N/A	6	2790
<b>IRREGULAR STEPS</b> 2x each of each shape	7x26x42 - 476 lbs. ea.	N/A	6	3258
	7x28x48 - 567 lbs. ea.			
	7x24x60 - 600 lbs. ea.			

# Rosetta Specifications, con't.

Product	Height (in)	SF/Pallet	Pcs/Pallet	Wgt/ Pallet (lbs.)
<b>SUPERIOR STEPPERS</b>	2	52	16	1360

- Stepper dimensions vary by shape; roughly 21x27
- 2x each of 8 different shapes

Product	Height (in)	Outside Dia. (in)	Inside Dia. (in)	Pcs/Pallet	Wgt/ Pallet (lbs.)
<b>HEARTWOOD SQUARE PIT</b>	18	50x50	34x34	12	2190
<b>DIMENSIONAL SQUARE PIT</b>	12	44x44	28x28	48	1244
<b>OPT. SQUARE STEEL INSERT</b>		27 <sup>3</sup> / <sub>4</sub> x27 <sup>3</sup> / <sub>4</sub> x9 <sup>3</sup> / <sub>4</sub>		1	110
<b>BELVEDERE ROUND PIT</b>	14 <sup>1</sup> / <sub>2</sub>	58	37	52	1335
<b>OPT. ROUND STEEL INSERT</b>	10	39 <sup>3</sup> / <sub>4</sub>	37	1	75

## Wall Specifications

Product	Shapes	Height (in)	Depth (in)	Length (in)	SF/LF Pallet	Pcs/Pallet	Wgt/ Pallet (lbs.)
<b>ASHLAND</b>	Wedge	4	8	9	36	144	2796
<b>YORKSHIRE</b>	Straight	4	12	8	30	90	2760
<b>STONEGATE 3"</b>	3-Piece System (bundled)				34	144	3290
	3" Small Unit	3	10	6		48	
	3" Medium Unit	3	10	11		48	
	3" Large Unit	3	10	17		48	
<b>STONEGATE 6"</b>	3-Piece System (bundled)				34	72	3290
	6" Small Unit	6	10	6		24	
	6" Medium Unit	6	10	11		24	
	6" Large Unit	6	10	17		24	
	3" Square Cap	3	12	12	48	48	1980
<b>STONEGATE CONTEMPORARY 3"</b>	3-Piece System (bundled)				34	144	3290
	3" Small Unit	3	10	6		48	
	3" Medium Unit	3	10	11		48	
	3" Large Unit	3	10	17		48	
<b>STONEGATE CONTEMPORARY 6"</b>	3-Piece System (bundled)				34	72	3290
	6" Small Unit	6	10	6		24	
	6" Medium Unit	6	10	11		24	
	6" Large Unit	6	10	17		24	
	3" Square Cap	3	12	12	48	48	1980

Note: All dimensions shown are nominal.

# Wall Specifications

Product	Shapes	Height (in)	Depth (in)	Length (in)	SF/LF Pallet	Pcs/Pallet	Wgt/Pallet (lbs.)
<b>NAPA/SONOMA 3"</b> 3-Piece System (bundled)	3-Piece System (bundled)				26	120	2712
	3" Small Unit	3	9	6		40	
	3" Medium Unit	3	9	11		40	
	3" Large Unit	3	9	17		40	
<b>NAPA/SONOMA 6"</b> 3-Piece System (bundled)	3-Piece System (bundled)				26	60	2712
	6" Small Unit	6	9	6		20	
	6" Medium Unit	6	9	11		20	
	6" Large Unit	6	9	17		20	
	Column Unit	6	8	17	N/A	48	3708
	3" Rectangle Cap	3	11½	15	45	36	1489
<b>STONELEDGE 3"</b> 3-Piece System (bundled)	3-Piece System (bundled)				30	160	2769
	3" Small Unit	3	10	6		40	
	3" Medium Unit	3	10	9		80	
	3" Large Unit	3	10	12		40	
<b>STONELEDGE 6"</b> 3-Piece System (bundled)	3-Piece System (bundled)				30	60	2769
	6" Small Unit	6	10	6		20	
	6" Medium Unit	6	10	12		20	
	6" Large Unit	6	10	18		20	
	Column Unit	6	9	18	N/A	40	3260
	3" Rectangle Cap	3	11½	15	45	36	1489
<b>REGAL STONE</b>	6" High Unit	6	12	17¼	34.5	48	3708
	6" Step Unit	6	12	16	16	24	2220
	3" Universal Cap	3	13	15	56¼	45	2175
<b>REGAL STONE ROCKFACE</b>	6" High Unit	6	12	16	32	48	3420
	6" Step Unit	6	12	16	16	24	2220
	3" Universal Cap	3	13	15	56¼	45	2175
<b>COMPAC</b>	8" High Unit	8	12	18	45	45	3750
	8" Corner Unit	8	9	18	30	30	3168
	4" Rectangle Cap	4	12	18	72	48	3420
<b>COMPAC CONTEMPORARY</b>	8" High Unit	8	12	18	45	45	3750
	8" Corner Unit	8	9	18	30	30	3168
	3" Square Cap	3	12	12	48	48	1980
<b>CORNERSTONE 100</b>	8" High Unit	8	12	18	40	40	3270
	8" Corner Unit	8	9	18	24	24	2412
	3" Universal Cap	3	13	15	56.25	45	2175

# Trim & Finishing Specifications

Product	Shapes	Height (in)	Depth (in)	Length (in)	Wgt/Piece	Pcs/Pallet	Wgt/Pallet (lbs.)
ROCK FACE CAP	Wall Cap	2¼	12	48	120	12	1500
	End Cap	2¼	12	51	130	12	1620
ROCK FACE STEP	Landscape Step	6	16	48	420	10	4260
	Landscape Step	6	16	72	616	6	3756
ROCK FACE TREAD	Step Tread	2¼	12	51	130	12	1620
ROCK FACE CAP	28" Flat Column Cap	2	28	28	95	12	1200
	30" Flat Column Cap	2	30	30	155	12	1920
	28" Light-Top Cap	4	28	28	135	6	870
	30" Light-Top Cap	4	30	30	240	6	1500
NAPA CURBSTONE	Napa Curbstone	8	3	8	140	210	2706
EDGESTONE	EdgeStone	6	4	12	20	120	2460

# Fire Pit Specifications

Product	Type	Height (in)	Outside Dia (in)	Inside Dia (in)	Pcs/Pallet	Wgt/Pallet (lbs.)
ASHLAND	Round Pit	20½	48½	32½	84	1376
	4-piece Coping		50	29½	4	120
	Round Steel Insert			28	1	100
STONELEDGE	Round Pit	17½	50	30	102	2434
	4-piece Coping		54½	29½	4	460
	Round Steel Insert			28	1	100
YORKSHIRE	Rectangle Pit	16½	16x44x56	24x36	65	1945
	Square Pit	20½	16x44x44	28¾x28¼	50	1455
	Rectangle Steel Insert		9x23½x35½		1	123
	Square Steel Insert		9¾x27¾x27¾		1	50
BURLEY COMFORT II	24" Round Pit Insert	12	37	24	1	80
BURLEY COMFORT II	32" Round Pit Insert	12	46	32	1	110
BURLEY COMFORT II	24" Square Pit Insert	12	37	24	1	80
BURLEY SNUFFER LID	26" Dia (fits 24" round unit)		26		1	15
BURLEY SNUFFER LID	34" Dia (fits 32" round unit)		34		1	25
BURLEY SNUFFER LID	26"x26" (fits 24" square unit)		26x26		1	15

# Limited Lifetime Transferable Warranty



NewLine Hardscapes backs our manufactured paver and wall products with a lifetime transferable warranty, guaranteeing our products against manufacturing defects. This warranty is for residential construction only and is applicable where products have been correctly installed to meet industry specifications. Color variances and the appearance of efflorescence do not constitute a warranty claim. Any defective products will be replaced; however, replacement labor and transportation costs are not included in this warranty. All warranty claims must be made

prior to the removal or disposal of the defective product. We will honor this transferable warranty with a proof of purchase (invoice or delivery ticket).

The foregoing warranty is exclusive and in lieu of all other express or implied warranties of any kind. Furthermore, NewLine disclaims all implied warranties of merchantability as well as all implied warranties of fitness for a particular purpose. NewLine shall not be liable for any consequential damages or incidental damages arising from any warranty claim made against it.

NOTE: This warranty does not apply to any breakage, chipping or other deterioration caused by improper design or installation which does not comply with applicable codes, the ICPI, CMHA and recognized work procedures. Visit [www.icpi.org](http://www.icpi.org) or [www.cmha.org](http://www.cmha.org) for more information on installation specifications. This warranty does not apply to any damage resulting from a natural disaster or from a deliberate and/or negligent act on the part of the purchaser, owner of the building, installer or any third party.

# Care Information

## Color

The natural materials that we use in our paving stones and retaining wall products deliver a range of colors that closely match color samples in catalogs, spec books, color swatch books, and online photos. However, NewLine cannot guarantee exact color matching. Our pavers and walls can vary slightly in color depending on environmental conditions. Therefore, colors shown are approximate representations of standard colors and shouldn't be expected to be an exact match. Final color selections should be made at your local dealer from stock product or displays. NewLine always recommends immediately verifying the product and color upon receipt. If there are any discrepancies, contact your local dealer before continuing your project. Installation of the product constitutes its acceptance. Proper installation enhances the overall color of pavement. Units should be randomly picked from at least two pallets when installing. This creates a subtle blending of color.

## Efflorescence

Our warranty does not apply to efflorescence. Efflorescence is a whitish, powderlike deposit that can appear on the surface of concrete products. When cement hydrates, calcium hydroxide is formed. A reaction occurs between the calcium hydroxide and carbon dioxide (from the air) to form water-insoluble calcium carbonate, which is called efflorescence. Efflorescence does not have an effect on the structural performance or durability of the concrete pavers. NewLine includes admixtures in their concrete products to help minimize efflorescence, but efflorescence is a natural occurrence in all concrete products. NewLine does not warrant concrete pavers or walls that it manufactures against the appearance of efflorescence. Efflorescence may appear immediately or within months following installation. It may remain for months or some of it may wear away. Deposits may be removed from the concrete paver surface by using proprietary efflorescence-removers. Before applying any chemicals to remove deposits, please consult your local dealer for efflorescence removal chemicals.

## Polymeric Haze

Polymeric haze from the use of polymeric joint sand may appear on your concrete products if the sand was not removed from the surface of the paver properly. This does not affect the integrity of the product or your installation. The hazing will weather away naturally with time and rain. It can be removed with a specialized cleaner; you are advised to contact your contractor or the polymeric sand company for advice on recommendations. NewLine accepts no responsibility or liability for this occurrence.

## Construction Residue

A by-product of cutting with a saw is residue-filled water or concrete dust. Residue-filled water or re-hydrated dust can cling to the surface and leave a concrete stain. It is recommended to wash and remove the water or concrete dust from the surface of the pavers before it dries. Construction residue can also happen through soil disturbance or environmental elements. These contaminants should be removed immediately but do not affect the integrity of the product or your installation. NewLine accepts no responsibility or liability for these occurrences.

## Compactor and Snow Removal

NewLine pavers with textured surfaces have high and low points on the surface that provide an aesthetic appeal. However, pavers with textured surfaces are susceptible to surface scuffing when they are compacted into place. Therefore, these types of pavers should always be compacted with plate compactors that incorporate a protective mat or other medium between the plate compactor and the surface of the pavers. This system will help ensure that paver surface scuffing is kept to a minimum. These protective mediums include: rubber matting, thin carpet or cardboard. Manufacturers of plate compactors are able to recommend other products that also can be used for this purpose. For further information on paver details, technical information, and recommended construction practices, visit ICPI at [www.icpi.org](http://www.icpi.org).

A plate compactor should not be used on our Porcelain Tile, Veranda/Chateau XL, and Rosetta Flagstone pavers. Also, snow removal equipment should have the proper spacing, bumpers, and rubber blade guards to protect the surface of the pavers. NewLine will not be held responsible for damage caused by the misuse of compaction or snow removal equipment which leaves scuff marks or burns on pavers.



rosetta outcropping wall and dimensional steps in saddle

